

REFERENCES

- Aho, Alfred V., and Ullman, Jeffrey D. 1979. *Principles of Compiler Design*. Reading, MA: Addison Wesley.
- Anderson, R. 1970. Completeness Results for E-resolution. *Proceedings AFIPS 1970*, Spring Joint Computer Conference, Vol. 36. Montvale, NJ: AFIPS Press, 653-656.
- Andrews, Peter B. 1970. Resolution in Type Theory. *Journal of Symbolic Logic* 36(3), 414-432.
- Andrews, Peter B. 1981. Theorem Proving via General Matings. *J.ACM* 28(2), 193-214.
- Andrews, Peter B. 1986. *An Introduction to Mathematical Logic and Type Theory: To Truth through Proof*. New York: Academic Press.
- Apt, Krzysztof R., and VanEmden, M. H. 1982. Contributions to the Theory of Logic Programming. *J.ACM* 29(3), 841-862.
- Barwise, Jon. 1977. *Handbook of Mathematical Logic*. Studies in Logic, Vol. 90. New York: Elsevier North-Holland.
- Bell, J. L., and Slomson, A. B. 1974. *Models and Ultraproducts*. Amsterdam: Elsevier North-Holland.
- Birkhoff, Garrett. 1973. *Lattice Theory*. American Mathematical Society Colloquium Publications, Vol. 25.
- Book, Ronald. 1980. *Formal Language Theory*. New York: Academic Press.
- Boyer, R. S., and Moore, J. S. 1979. *A Computational Logic*. New York: Academic Press.

- Bundy, Alan. 1983. *The Computer Modelling of Mathematical Reasoning*. New York: Academic Press.
- Campbell, J. A. 1984. *Implementations of PROLOG*. Chichester, England: Ellis & Horwood.
- Chang, C. C., and Keisler, H. J. 1973. *Model Theory*. Studies in Logic, Vol. 73. Amsterdam: Elsevier North-Holland.
- Chang, C., and Lee, R. C. 1973. *Symbolic Logic and Mechanical Theorem Proving*. New York: Academic Press.
- Clocksinn, William F., and Mellish, Christopher S. 1981. *Programming in PROLOG*. New York: Springer Verlag.
- Cohn, Paul M. 1981. *Universal Algebra*. Hingham, MA: Reidel Publishing Company.
- Cook, Stephen A. 1971. The Complexity of Theorem-Proving Procedures. *Proceedings of the Third Annual ACM Symposium on the Theory of Computing*, pp. 151-158, Association for Computing Machinery, New York.
- Cook, Stephen A., and Reckhow, Robert A. 1979. The Relative Efficiency of Propositional Proof Systems. *Journal of Symbolic Logic* 44(1), 33-50.
- Davis, Martin D. 1963. Eliminating the Irrelevant from Mechanical Proofs. *Proceedings of a Symposium on Applied Mathematics*, Vol. XV, Providence, RI, 15-30.
- Davis, Martin D., and Putnam, H. 1960. A Computing Procedure for Quantification Theory. *J.ACM* 7, 210-215.
- Davis, Martin D. and Weyuker, Elaine J. 1983. *Computability, Complexity and Languages*. New York: Academic Press.
- Dowling, William F., and Gallier, Jean H. 1984. Linear-time Algorithms for Testing the Satisfiability of Propositional Horn Formulae. *Journal of Logic Programming* 3, 267-284.
- Downey, Peter J., Sethi, Ravi, and Tarjan, Endre R. 1980. Variations on the Common Subexpressions Problem. *J.ACM* 27(4), 758-771.
- Dreben, B., and Goldfarb, W.D. 1979. *The Decision Problem*. Reading, MA: Addison-Wesley.
- Enderton, Herbert B. 1972. *A Mathematical Introduction to Logic*. New York: Academic Press.
- Enderton, Herbert B. 1977. *Elements of Set Theory*. New York: Academic Press.
- Garey, M. R., and Johnson, D. S. 1979. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. New York: Freeman.
- Gorn, Saul. 1965. Explicit Definitions and Linguistic Dominoes. In John Hart and Satoru Takasu, eds., *Systems and Computer Science*. Toronto, Canada: University of Toronto Press.
- Gorn, Saul. 1984. Data Representation and Lexical Calculi. *Information Processing and Management* 20(1-2), 151-174.

- Gratzner, G. 1979. *Universal Algebra*. New York: Springer Verlag.
- Halmos, Paul R. 1974. *Lectures on Boolean Algebras*. New York: Springer Verlag.
- Henkin, L., Monk, J. D., and Tarski, A. 1971. *Cylindric Algebras*. Studies in Logic, Vol. 64, New York: Elsevier North-Holland.
- Herbrand, Jacques. 1971. *Logical Writings*. Hingham, MA: Reidel Publishing Company.
- Huet, Gérard. 1973. A Mechanization of Type Theory. *Proceedings of the Third International Joint Conference on Artificial Intelligence*, Stanford, CA, 139-146.
- Huet, Gérard. 1976. Résolution d'Equations dans les Languages d'Ordre $1,2,\dots,\omega$. Doctoral Thesis, Université de Paris VII.
- Huet, Gérard. 1980. Confluent Reductions: Abstract Properties and Applications to Term Rewriting Systems. *J.ACM* 27(4), 797-821.
- Joyner, William H. 1974. Automatic Theorem Proving and The Decision Problem. Ph.D thesis, Harvard University, Cambridge, MA.
- Kleene, Stephen C. 1952. *Introduction to Metamathematics*. Amsterdam: Elsevier North-Holland.
- Kleene, Stephen C. 1967. *Mathematical Logic*. New York: Wiley Interscience.
- Knuth, Donald. 1968. *The Art of Computer Programming, Vol. 1: Fundamental Algorithms*. Reading, MA: Addison Wesley.
- Kowalski, Robert A. 1979. *Logic for Problem Solving*. New York: Elsevier North-Holland.
- Kowalski, Robert A., and Kuehner, D. 1970. Linear Resolution with Selection Function. *Artificial Intelligence* 2, 227-260.
- Kowalski, Robert A., and Van Emdem, M. H. 1976. The Semantics of Predicate Logic as a Programming Language. *J.ACM* 23(4), 733-742.
- Kozen, Dexter. 1976. Complexity of Finitely Presented Algebras. Technical Report TR 76-294, Computer Science Department, Cornell University, Ithaca, New York.
- Kozen, Dexter. 1977. Complexity of Finitely Presented Algebras. Ph.D. Thesis, Computer Science Department, Cornell University, Ithaca, New York.
- Kuratowski, K., and Mostowski, A. 1976. *Set Theory*. Studies in Logic, Vol. 86. New York: Elsevier North-Holland.
- Levy, A. 1979. *Basic Set Theory*. Berlin, Heidelberg, New York: Springer-Verlag.
- Lewis, H. R. 1979. *Unsolvable Classes of Quantificational Formulas*. Reading, MA: Addison-Wesley.
- Lewis, H. R., and Papadimitriou, C. H. 1981. *Elements of the Theory of Computation*. Englewood Cliffs, NY: Prentice-Hall.
- Lloyd, J. W. 1984. *Foundations of Logic Programming*. New York: Springer-Verlag.
- Loveland, Donald W. 1979. *Automated Theorem Proving: A Logical Basis*. New York: Elsevier North-Holland.

- Machtey, Michael, and Young, Paul. 1978. *An Introduction to the General Theory of Algorithms*. New York: Elsevier, North-Holland.
- Manna, Zohar. 1974. *Mathematical Theory of Computation*. New York: McGraw-Hill.
- Manna, Zohar, and Waldinger, Richard. 1985. *The Logical Basis for Computer Programming*. Reading, MA: Addison Wesley.
- Martelli, A. and Montanari, U. 1982. An Efficient Unification Algorithm. *TOPLAS* 4(2), 258-283.
- Miller, Dale. 1984. Herbrand's Theorem in Higher-Order Logic. Technical Report, Department of Computer and Information Science, University of Pennsylvania, Philadelphia, PA 19104.
- Monk, J. D. 1976. *Mathematical Logic. G.T.M* Vol. 37. New York: Springer-Verlag.
- Morris, J. B. 1969. E-resolution: Extension of Resolution to Include the Equality Relation. *Proceedings International Joint Conference on Artificial Intelligence*, Washington D.C.
- Nelson, G., and Oppen, D. C. 1979. Simplification by Cooperating Decision Procedures. *TOPLAS* 1(2), 245-257.
- Nelson G., and Oppen, D. C. 1980. Fast Decision Procedures Based on Congruence Closure. *J. ACM* 27(2), 356-364.
- Oppen, D. C. 1980a. Reasoning About Recursively Defined Data Structures. *J. ACM* 27(3), 403-411.
- Oppen, D. C. 1980b. Complexity, Convexity and Combinations of Theories. *Theoretical Computer Science* 12(3), 291-302.
- Paterson, M. S., and Wegman, M. N. 1978. Linear Unification. *Journal of Computer and System Sciences* 16(2), 158-167.
- Pietrzykowski, Tomasz. 1973. A Complete Mechanization of Second-Order Type Theory. *J.ACM* 20, 333-364.
- Prawitz, Dag. 1960. An Improved Proof Procedure. *Theoria* 26, 102-139.
- Prawitz, Dag. 1965. *Natural Deduction*. Stockholm: Almquist & Wiskell.
- Robinson, J. A. 1965. A Machine Oriented Logic Based on the Resolution Principle. *J.ACM* 12(1), 23-41.
- Robinson, J. A. 1979. *Logic: Form and Function*. New York: Elsevier North-Holland.
- Robinson, G. A., and Wos, L. 1969. Paramodulation and Theorem-Proving in First-order Logic with Equality. *Machine Intelligence*, Vol. 4, 135-150.
- Rogers, H. R. 1967. *Theory of Recursive Functions and Effective Computability*. New York: McGraw-Hill.
- Schoenfield, J. R. 1967. *Mathematical Logic*. Reading, MA: Addison Wesley.
- Shostak, Robert. E. 1984a. *7th International Conference on Automated Deduction*. Lecture Notes in Computer Science, Vol. 170. New York: Springer Verlag.

- Shostak, Robert. E. 1984b. Deciding Combinations of Theories. *J.ACM* 31(1), 1-12.
- Siekman J., and Wrightson, G. 1983. *Automation of Reasoning*. New York: Springer Verlag.
- Smorynski, C. 1983. "Big" News From Archimedes to Friedman. *Notices of the American Mathematical Society* 30(3).
- Smullyan, R. M. 1968. *First-order Logic*. Berlin, Heidelberg, New York: Springer-Verlag.
- Statman, R. 1979. Lower Bounds on Herbrand's Theorem. *Proceedings of the American Mathematical Society* 75(1), 104-107.
- Suppes, P. 1972. *Axiomatic Set Theory*. New York: Dover.
- Szabo, M. E. 1970. *The Collected Papers of Gerhard Gentzen*. Studies in Logic. New York: Elsevier North-Holland.
- Tait, W. W. 1968. Normal Derivability in Classical Logic. In *The Syntax and Semantics of Infinitary Languages*, J. Barwise, ed., Lecture Notes in Mathematics. New York: Springer Verlag.
- Takeuti, G. 1975. *Proof Theory*. Studies in Logic, Vol. 81. Amsterdam: Elsevier North-Holland.
- Tarski, A., Mostowski, A., and Robinson, R. M. 1971. *Undecidable Theories*. Studies in Logic. Amsterdam: Elsevier North-Holland.
- Van Dalen, D. 1980. *Logic and Structure*. Berlin, Heidelberg, New York: Springer-Verlag.
- Van Heijenoort, Jean. 1967. *From Frege to Gödel*. Cambridge, MA: Harvard University Press.
- Wang, Hao. 1952. Logic of Many-Sorted Theories. *Journal of Symbolic Logic* 17(2), 105-116.
- Yeh, Raymond. 1978. *Current Trends in Programming Methodology*, Vol. IV. Englewood Cliffs, NJ: Prentice Hall.

INDEX OF SYMBOLS

- $(\Gamma \rightarrow \Delta)[z/y]$, 274
 $(A[\mathbf{m}/x_i])_{\mathbf{M}}[s]$, 164
 $(A_i^s)_{\mathbf{M}}$, 454
 $(A_i)_{\mathbf{M}}$, 160
 $(A_i)_{i \in I}$, 7
 $(E_i^s)_{\mathbf{M}}$, 454
 $(E_i)_{\mathbf{M}}$, 160
 $(s_1/x_1, \dots, s_m/x_m)$, 382
 (T, A) , 276
 (\mathbf{M}, X) , 253
 $\langle \rangle$, 82
 $=_D$, 183
 $[[\mathbf{V} \rightarrow M] \rightarrow \text{BOOL}]$, 159, 454
 $[n]$, 7
 $[x]_R$, 7
 $[\mathbf{V} \rightarrow M]$, 159, 453
 $[\mathbf{V}_s \rightarrow M_s]$, 453
 $[\mathbf{X}]$, 480
 \longleftrightarrow_E , 286
 $\overset{*}{\longleftrightarrow}_E$, 286, 463
 \cong , 481, 486
 \equiv , 32, 147, 449
 $\equiv_{\mathbf{M}}$, 160, 454
 \exists , 147
 $\exists : \textit{left}$, 188, 259, 271, 327, 457
 $\exists : \textit{right}$, 188, 259, 271, 327, 457
 \exists_s , 449
 $\exists x : sA$, 452
CS, 148, 449
F, 39
FS, 148, 449
L, 148, 449
M, 158
PS, 32, 148, 449
T, 39
V, 148, 449
 \forall , 147
 $\forall : \textit{left}$, 188, 259, 271, 327, 457
 $\forall : \textit{right}$, 188, 259, 271, 327, 457
 \forall_s , 449
 $\forall x : sA$, 452
 $\Gamma \models A$, 42
 $\Gamma \models B$, 163
 $\Gamma \rightarrow \Delta$, 62
 \wedge , 32, 147, 449
 $\wedge : \textit{left}$, 63, 111, 187, 258, 270, 457
 $\wedge : \textit{right}$, 63, 111, 187, 258, 271, 457
 $\wedge_{\mathbf{M}}$, 160, 454
 \vee , 32, 147, 449
 $\vee : \textit{left}$, 63, 111, 187, 258, 271, 457
 $\vee : \textit{right}$, 63, 111, 187, 258, 271, 457
 $\vee_{\mathbf{M}}$, 160, 454

- \hat{h} , 22
 $\hat{v}(A)$, 40
 \doteq , 147
 \doteq_s , 449
 \models , 42
 $\models \Gamma$, 162
 $\models \Gamma \rightarrow \Delta$, 85
 $\models A$, 42, 162
 $\models A_1, \dots, A_m \rightarrow B_1, \dots, B_n$, 65, 188
 \neg , 32, 147, 449
 \neg : *left*, 63, 111, 187, 259, 457
 \neg : *right*, 63, 111, 187, 259, 457
 $\neg_{\mathbf{M}}$, 160, 454
 \oplus , 45, 58
 \bar{x}_R , 7
 \perp , 32, 147, 288, 293, 449
 $\prod_D (A_i)_{i \in I}$, 184
 $\prod_{i \in I} A_i$, 183
 \simeq , 48, 106, 176
 \simeq_T , 107
 \square , 126
 \supset , 32, 147, 449
 \supset : *left*, 63, 111, 187, 258, 457
 \supset : *right*, 63, 111, 187, 258, 457
 $\supset_{\mathbf{M}}$, 160, 454
 \top , 49, 177
 \vdash , 66
 $\vdash \Gamma \rightarrow \Delta$, 66, 85
 A/\cong , 482
 A/R , 7
 $A[C/B]$, 326
 $A[s_1/x_1, \dots, s_n/x_n]$, 342
 $A[t/x]$, 155
 $A \simeq B$, 48
 A_i^s , 450
 $A_1, \dots, A_m, \dots \rightarrow B_1, \dots, B_n, \dots$, 82
 $A_{\mathbf{M}}$, 160, 455
 $A_{\mathbf{M}}[s]$, 161
 $A_{\mathbf{M}}[v]$, 455
 A_i , 149
atomic(A), 83
 $AVAIL_0$, 198
 $AVAIL_i$, 207
 $BOOL$, 39, 449
 $BV(A)$, 154
 $C(t)$, 193
 C_{\perp}^s , 450
 C_{\equiv} , 32, 149, 450
 $c_{\mathbf{A}}$, 478, 483
 $c_{\mathbf{M}}$, 159, 453
 C_{\wedge} , 32, 149, 450
 C_{\vee} , 32, 149, 450
 C_{\perp} , 149
 C_{\neg} , 32, 149, 450
 C_{\supset} , 32, 149, 450
 C_f , 148, 450
 C_P , 149, 450
CONGRUENT, 471
 CT_{Σ} , 17
 $D(t)$, 193
 D_s , 459
 $Des(S)$, 99
 $dom(R)$, 5
dosubstitution, 70, 385
 $E(B^*, H)$, 368
 $E(C, H)$, 368
 E_i^s , 450
 E_i , 149
 $EQ_{1,0}$, 239
 $EQ_{1,i}$, 239
 $EQ_{2,0}$, 239
 $EQ_{2,i}$, 239
 $EQ_{3,0}$, 239
 $EQ_{3,i}$, 239
 ex , 374, 375
 $exp(m, n, p)$, 279
 $f \circ g$, 6
 $f(X)$, 6
 $f : A \rightarrow B$, 5
 $f^{-1}(Y)$, 6
 $f_{\mathbf{A}}$, 478, 483
 $f_{\mathbf{M}}$, 159, 453
 f_i^A , 340
FIND, 471
 $FORM_0(i)$, 199
 $FORM_{\mathbf{L}}$, 149, 451
 $FV(A)$, 154
 $FV(t)$, 153
 $G(C)$, 463
graph(f), 5
 h^u , 483
 H_{\equiv} , 39
 H_{\wedge} , 39
 H_{\vee} , 39
 H_{\neg} , 39
 H_{\supset} , 39
 $H_{\mathbf{A}}$, 45

- H_{nand} , 56
 H_{nor} , 56
 H_X , 39
 HT , 345
 I_A , 6
 $left$, 384
 $LK' - \{cut\}$, 111
 $LK - \{cut\}$, 259
 $M(P, G)$, 439
 M^u , 453
 MS , 459
 $NUMACT$, 208
 P_M , 159, 453
 P_u , 462
 $PROP$, 32
 $PROP_L$, 173
 $QF(A)$, 326
 $R \circ S$, 5
 R^* , 8
 R^+ , 8
 R^{-1} , 6
 $range(R)$, 5
 RC , 239
 $right$, 384
 $S(C)$, 463
 $s[t/x]$, 155
 $s[x_i := a]$, 160
 S_e , 292
 $SK(A)$, 358
 $t(TERM_0)$, 199
 $T(\mathbf{L}, \mathbf{V})$, 450
 t/u , 15
 $t[s_1/y_1, \dots, s_n/y_n]$, 285, 342
 $T[t/y]$, 274
 $T[z/c]$, 288
 $T[z/y]$, 274, 288
 $t_1[u \leftarrow t_2]$, 15
 t_M , 160, 454
 $t_M[s]$, 160
 $t_M[v]$, 454
 T_Σ , 17
 $TERM(C)$, 463
 $TERM(C)_s$, 463
 $TERM_L^s$, 451
 $TERM_0$, 198, 207
 $TERM_1$, 199
 $TERM_L$, 148
 $TERMS$, 207, 239
 $UNION$, 471
 $US(A)$, 357
 $v : \mathbf{PS} \rightarrow \mathbf{BOOL}$, 39
 $v \models A$, 41
 $v \not\models A$, 41
 $v[i]$, 462
 $variable$, 384
 X^+ , 19
 X_+ , 18, 19
 \mathbf{A} / \cong , 482, 487
 \mathbf{B}_0 , 106
 \mathbf{B}_L , 178
 \mathbf{B}_{PROP} , 50
 \mathbf{B}_T , 107
 \mathbf{CS}_s , 449
 \mathbf{H}_s , 195, 232
 \mathbf{L}_S , 194
 \mathbf{L}_X , 253
 $\mathbf{M} \models \Gamma$, 162
 $\mathbf{M} \models A$, 162
 $\mathbf{M} \models A[s]$, 162
 \mathbf{V}_s , 449

INDEX OF DEFINITIONS

Corollary, 72, 113, 121, 205, 216, 242,
260, 268, 364, 437, 441

Definition 3.2.1, 32
Definition 3.2.2, 32
Definition 3.3.1, 39
Definition 3.3.2, 39
Definition 3.3.3, 39
Definition 3.3.4, 42
Definition 3.3.5, 45
Definition 3.3.6, 48
Definition 3.4.1, 62
Definition 3.4.2, 63
Definition 3.4.3, 64
Definition 3.4.4, 65
Definition 3.4.5, 65
Definition 3.4.6, 68
Definition 3.4.7, 73
Definition 3.4.8, 74
Definition 3.5.1, 83
Definition 3.5.2, 85
Definition 3.5.3, 89
Definition 3.5.4, 90
Definition 3.5.5, 90
Definition 3.5.6, 90
Definition 3.5.7, 90
Definition 3.5.8, 94
Definition 3.5.9, 94
Definition 3.5.10, 95
Definition 3.6.1, 110
Definition 4.2.1, 118
Definition 4.2.2, 120
Definition 4.2.3, 120
Definition 4.3.1, 127
Definition 4.3.2, 129
Definition 4.3.3, 130
Definition 5.2.1, 147
Definition 5.2.2, 148
Definition 5.2.3, 149
Definition 5.2.4, 153
Definition 5.2.5, 154
Definition 5.2.6, 155
Definition 5.2.7, 156
Definition 5.3.1, 158
Definition 5.3.2, 159
Definition 5.3.3, 159
Definition 5.3.4, 160
Definition 5.3.5, 160
Definition 5.3.6, 161
Definition 5.3.7, 162
Definition 5.3.8, 164
Definition 5.3.9, 171

- Definition 5.3.10, 171
Definition 5.3.11, 173
Definition 5.3.12, 176
Definition 5.4.1, 187
Definition 5.4.2, 188
Definition 5.4.3, 192
Definition 5.4.4, 193
Definition 5.4.5, 193
Definition 5.4.6, 194
Definition 5.4.7, 194
Definition 5.4.8, 198
Definition 5.4.9, 199
Definition 5.5.1, 209
Definition 5.6.1, 231
Definition 5.6.2, 236
Definition 5.6.3, 240
Definition 6.2.1, 257
Definition 6.3.1, 262
Definition 6.3.2, 263
Definition 6.4.1, 269
Definition 6.4.2, 270
Definition 6.4.3, 273
Definition 6.4.4, 273
Definition 6.4.5, 274
Definition 6.4.6, 281
Definition 6.5.1, 292
Definition 6.6.1, 295
Definition 6.6.2, 295
Definition 7.2.1, 305
Definition 7.3.1, 312
Definition 7.3.2, 314
Definition 7.4.1, 326
Definition 7.4.2, 326
Definition 7.4.3, 327
Definition 7.4.4, 336
Definition 7.5.1, 340
Definition 7.5.2, 340
Definition 7.5.3, 342
Definition 7.5.4, 346
Definition 7.6.1, 357
Definition 7.6.2, 358
Definition 7.6.3, 359
Definition 7.7.1, 371
Definition 7.7.2, 371
Definition 7.7.3, 372
Definition 7.7.4, 372
Definition 7.7.5, 372
Definition 7.7.6, 373
Definition 8.2.1, 378
Definition 8.4.1, 382
Definition 8.4.2, 382
Definition 8.4.3, 384
Definition 8.4.4, 385
Definition 8.5.1, 395
Definition 8.5.2, 396
Definition 8.5.3, 397
Definition 9.2.1, 411
Definition 9.2.2, 413
Definition 9.2.3, 414
Definition 9.3.1, 422
Definition 9.3.2, 423
Definition 9.4.1, 428
Definition 9.4.2, 428
Definition 9.5.1, 434
Definition 9.5.2, 435
Definition 9.5.3, 439
Definition 10.2.1, 449
Definition 10.2.2, 450
Definition 10.3.1, 453
Definition 10.3.2, 453
Definition 10.3.3, 454
Definition 10.3.4, 454
Definition 10.3.5, 455
Definition 10.3.6, 455
Definition 10.4.1, 457
Definition 10.5.1, 458
Definition 10.6.1, 461
Definition 10.6.2, 462
Definition 10.6.3, 462
Definition 10.6.4, 471
- Lemma 2.1.1, 9
Lemma 2.1.2, 10
Lemma 2.1.3, 11
Lemma 2.1.4, 12
Lemma 2.3.1, 19
Lemma 2.3.2, 19
Lemma 2.3.3, 21
Lemma 2.4.1, 480
Lemma 2.4.2, 480
Lemma 2.5.1, 487
Lemma 3.2.1, 33
Lemma 3.3.1, 40
Lemma 3.3.2, 43
Lemma 3.3.3, 46
Lemma 3.3.4, 46
Lemma 3.3.5, 48

- Lemma 3.3.6, 49
- Lemma 3.4.1, 65
- Lemma 3.4.2, 65
- Lemma 3.4.3, 67
- Lemma 3.4.4, 75
- Lemma 3.4.5, 75
- Lemma 3.5.1, 89
- Lemma 3.5.2, 91
- Lemma 3.5.3, 92
- Lemma 3.5.4, 95
- Lemma 3.5.5, 96
- Lemma 3.6.1, 112
- Lemma 3.6.2, 114
- Lemma 4.2.1, 121
- Lemma 4.2.2, 122
- Lemma 4.3.1, 128
- Lemma 4.3.2, 131
- Lemma 4.3.3, 134
- Lemma 4.3.4, 142
- Lemma 5.2.1, 150
- Lemma 5.2.2, 151
- Lemma 5.2.3, 151
- Lemma 5.2.4, 152
- Lemma 5.2.5, 152
- Lemma 5.2.6, 152
- Lemma 5.3.1, 164
- Lemma 5.3.2, 168
- Lemma 5.3.3, 169
- Lemma 5.3.4, 171
- Lemma 5.3.5, 174
- Lemma 5.3.6, 175
- Lemma 5.3.7, 177
- Lemma 5.3.8, 177
- Lemma 5.4.1, 189
- Lemma 5.4.2, 190
- Lemma 5.4.3, 192
- Lemma 5.4.4, 193
- Lemma 5.4.5, 195
- Lemma 5.5.1, 218
- Lemma 5.5.2, 218
- Lemma 5.6.1, 231
- Lemma 5.6.2, 239
- Lemma 5.6.3, 239
- Lemma 5.6.4, 243
- Lemma 5.6.5, 244
- Lemma 6.2.1, 259
- Lemma 6.3.1, 263
- Lemma 6.3.2, 264
- Lemma 6.3.3, 266
- Lemma 6.4.1, 269
- Lemma 6.4.2, 272
- Lemma 6.4.3, 274
- Lemma 6.4.4, 276
- Lemma 6.4.5, 276
- Lemma 6.4.6, 276
- Lemma 6.4.7, 277
- Lemma 6.4.8, 281
- Lemma 6.4.9, 282
- Lemma 6.5.1, 288
- Lemma 6.5.2, 288
- Lemma 6.5.3, 292
- Lemma 6.5.4, 293
- Lemma 7.2.1, 305
- Lemma 7.2.2, 309
- Lemma 7.3.1, 312
- Lemma 7.3.2, 313
- Lemma 7.3.3, 315
- Lemma 7.4.1, 328
- Lemma 7.4.2, 330
- Lemma 7.4.3, 337
- Lemma 7.5.1, 338
- Lemma 7.6.1, 359
- Lemma 7.6.2, 360
- Lemma 7.6.3, 362
- Lemma 8.2.1, 378
- Lemma 8.3.1, 380
- Lemma 8.4.1, 382
- Lemma 8.4.2, 383
- Lemma 8.4.3, 389
- Lemma 8.5.1, 398
- Lemma 8.5.2, 399
- Lemma 8.5.3, 400
- Lemma 8.5.4, 400
- Lemma 9.2.1, 414
- Lemma 9.2.2, 414
- Lemma 9.2.3, 416
- Lemma 9.2.4, 417
- Lemma 9.2.5, 417
- Lemma 9.3.1, 425
- Lemma 9.4.1, 430
- Lemma 9.5.1, 436
- Lemma 9.5.2, 438
- Lemma 9.5.3, 439
- Lemma 10.3.1, 455
- Lemma 10.3.2, 456
- Lemma 10.4.1, 458
- Lemma 10.5.1, 459

- Lemma 10.5.2, 459
Lemma 10.6.1, 461
Lemma 10.6.2, 463
Lemma 10.6.3, 467
Lemma 10.6.4, 468
Lemma 10.6.5, 472
- Theorem 2.1.1, 9
Theorem 2.3.1, 22
Theorem 2.4.1, 480
Theorem 2.5.1, 486
Theorem 3.2.1, 34
Theorem 3.3.1, 47
Theorem 3.4.1, 71
Theorem 3.4.2, 73
Theorem 3.5.1, 92
Theorem 3.5.2, 94
Theorem 3.5.3, 94
Theorem 3.5.4, 94
Theorem 3.6.1, 112
Theorem 4.2.1, 123
Theorem 4.3.1, 131
Theorem 4.3.2, 133
Theorem 4.3.3, 137
Theorem 5.2.1, 151
Theorem 5.2.2, 152
Theorem 5.4.1, 204
Theorem 5.5.1, 214
Theorem 5.5.2, 217
Theorem 5.5.3, 218
Theorem 5.5.4, 218
- Theorem 5.6.1, 241
Theorem 5.6.2, 243
Theorem 5.6.3, 243
Theorem 5.6.4, 243
Theorem 6.2.1, 260
Theorem 6.3.1, 266
Theorem 6.4.1, 280
Theorem 6.4.2, 283
Theorem 6.5.1, 291
Theorem 6.5.2, 293
Theorem 6.6.1, 297
Theorem 6.6.2, 299
Theorem 6.7.1, 300
Theorem 7.2.1, 307
Theorem 7.3.1, 320
Theorem 7.4.1, 334
Theorem 7.4.2, 337
Theorem 7.5.1, 344
Theorem 7.6.1, 363
Theorem 8.4.1, 390
Theorem 8.5.1, 404
Theorem 8.5.2, 404
Theorem 9.2.1, 419
Theorem 9.2.2, 421
Theorem 9.3.1, 426
Theorem 9.4.1, 431
Theorem 9.5.1, 441
Theorem 9.5.2, 444
Theorem 10.2.1, 452
Theorem 10.4.1, 458
Theorem 10.5.1, 459

SUBJECT INDEX

- Accepted
 - deterministically in polynomial time, 52
 - nondeterministically in polynomial time, 52
- Accepting
 - computation, 52
 - state, 51
- Ackermann's function, 11, 373
- a-formula, 90
- Alphabet, 12
 - of a first-order language, 147
 - of a many-sorted first-order language, 449
 - for propositional formulae, 32
- Analytic consistency property, 227, 251
- Ancestor, 15
- And, 32, 147
- Answer substitution, 430
- Antecedent, 62
- Anti-Horn clause, 434
- Antisymmetric, 8
- Arithmetic expression, 17
- Arity, 16, 148, 449, 483
- Assignment, 159
 - of sort s , 453
- Atomic
 - cut, 263
 - formulae, 149
 - proposition, 68
- Atomically closed, 70
- Atoms, 17
- Atp, 2
- Automatic theorem proving, 1, 2, 117
- Auxiliary symbols, 32, 148, 449
- Axiom, 29
 - of G , 188
 - of G , many-sorted case, 457
 - of G' , 65
 - of $G1^{nnf}$, 271
 - of $G1_{=}^{nnf}$, 281
 - of $GCNF'$, 120
 - of LK' , 111
 - of LK , 259
- Backtracking, 51
- Base
 - cases, 10
 - functions, 372
- Basic Horn formula, 59, 186
- Beth's definability theorem
 - with equality, 299

- without equality, 297
- b-formula, 90
- Bijjective, 6
- Binary
 - relation, 5
 - resolution, 407
- Binds, 171
- Boolean algebra, 50, 104, 178
- Bound variable, 154
- Bounded, 100
- Branch, 15

- Canonical function, 7
- Cardinality, 7
- Carrier, 158, 478
 - of sort s , 483
- Cartesian product, 4
- c-formula, 192
- Chain, 8, 15, 100
- Characterization of Consistency in LK' , 114
- Church, 2, 30
- Church's theorem, 216, 373
- Church-Turing thesis, 370
- c-instance, 359
- Clause, 118, 378
 - form, 378
- Closed
 - under complementation, 53
 - equality axioms, 246, 268
 - equality axioms for S , 292
 - formula, 154
 - under the functions in F , 19
 - leaf, 61, 83
 - under the operations, 479, 485
 - term, 154
 - tree, 85
- Closure conditions, 17
- CNF, 73
- Compactness theorem
 - for first-order languages of any cardinality, 185
 - for G , 218
 - for G' , 94
 - for $G_=$, 243
- Complete, 30
 - induction, 9
 - set of propositions, 98
 - set of sentences, 224
 - sets of connectives, 175
- Completeness, 2
 - of G' , 72
 - of $G1^{nnf}$, 272
 - of $G1_{=}^{nnf}$, 281
 - of $GCNF'$, 123
 - of ground resolution, 380
 - of LK' (with cut), 116
 - of proofs in SLD-form, 419
 - of resolution, without equality, 404
 - of SLD-resolution for Horn clauses, 426, 431
 - of the resolution method, propositional case, 133
- Complexity, 71
 - theory, 369
- Components of a signed formula, 90, 192
- Composition, 5, 371
- Compound instance, 357, 359
- Computability, 369
- Concatenation, 13
- Conclusion, 63, 66
- Congruence, 233, 462, 481, 486
 - closure of E, 463
 - on a graph, 461
- Conjugate
 - of a literal, 118, 378
 - of a set of literals, 396
 - of a signed formula, 90
- Conjunctive normal form, 73, 118
- Conservative over, 226, 249
- Consistency
 - in G , 218
 - in G' , 94
 - lemma for G , 218
 - lemma for G' , 95
 - lemma for $G_=$, 243
 - in LK' , 114
 - properties, 255
 - property, 103
- Consistent set of propositions, 94
- Constant of sort s , 483
- Constants, 16, 148, 449
- Contraction, 110, 258
- Converse, 6
- Converting $GCNF'$ -proofs into Resolution Refutations, 131

- Correctness
 - of the congruence closure algorithm, 472
 - of the linearization process, 425
 - of SLD-resolution as a computational procedure, 441
 - of the unification algorithm, 390
- Countable
 - sequence, 7
 - set, 7
- Countably
 - infinite, 7
 - saturated structure, 253
- Counter-example tree, 66
- Craig's interpolation theorem
 - with equality, 293
 - without equality, 291
- Cut
 - elimination theorem, 97, 110
 - elimination theorem for $G1^{nnf}$, 280
 - elimination theorem for $G1_{=}^{nnf}$, 283
 - elimination theorem for LK' , 113
 - formula, 97, 109, 111, 223, 258, 270
 - rule, 97, 109, 110, 111, 223, 257, 258, 270
- Cut-free, 97
 - proof, 110
- Cut-rank
 - in $G1^{nnf}$, 273
 - in $G1_{=}^{nnf}$, 282
- Cycle, 475
- Cylindric algebra, 178

- DAG, 127
- Decidable, 373
- Decision procedure
 - for quantifier-free formulae, 470
 - for quantifier-free formulae without predicate symbols, 466
- Deduction
 - rule, 29
 - system, 29
 - theorem, 80, 221
 - tree, for G , 188
 - tree, for G' , 62, 66
 - tree, for $G1^{nnf}$, 272
 - tree, for $GCNF'$, 120
 - tree, for LK , 259
 - tree, many-sorted case, 458
- Definable, 56
- Defined inductively, 17
- Definite
 - answer, 438, 442
 - answer lemma, 438
 - clause, 411, 428
- Definitional extension, 249
- Degree of a formula in NNF, 273
- Denumerable set, 7
- Depth, 15
- d-formula, 192
- Direct
 - image, 6
 - product, 186
- Directed acyclic graph, 127
- Disjunctive normal form, 57, 73
- DNF, 73
- Domain, 5, 158
- Dominates, 15
- Downward closed, 103
- Dual, 57

- Edge, 462
 - of a DAG, 127
- Eigenvariable, 188, 259, 271, 457
 - condition, 188, 259, 271, 457
- Elementary
 - equivalence, 224, 254
 - equivalent structures, 186
- Empty
 - clause, 126
 - string, 13
- Equality
 - axioms of LK_e , 262
 - rules for $G_{=}$, 236, 458
 - symbol, 147
- Equation, 282, 285
- Equational
 - language, 285
 - logic, 287
- Equivalence, 32, 147
 - class of x modulo R , 7
 - relation, 7
- E-resolution method, 407
- Essential cut, 263
- Exchange, 111, 258
- Exclusive OR, 45, 58

- Existence
 - condition for f , 248
 - of the congruence closure, 467
- Expansion
 - of a language, 194
 - of a structure, 194
 - step, 70
- Explicit definability, 295
- Extended
 - completeness theorem for G' , 94
 - completeness theorem for $G + \{cut\}$, 227
 - language $\mathbf{L}(\mathbf{M})$, 164
 - quantifier rules, 198
 - rule \exists : *right*, 198
 - rule \forall : *left*, 198
- Extension, 12
- Extra formula, 63

- Factor, 407
- Factoring, 407
 - rule, 407
- False, 32
- Falsehood, 147
- Falsifiable
 - propositional finite sequent, 64
 - sequent, first-order case, 188
 - sequent, propositional case, 85
- Falsifies, 41, 85
- Family, 7
- Filter, 100, 105, 183
 - generated by, 100
- Finished leaf
 - first-order case, no equality, 208
 - propositional finite case, 68
 - propositional infinite case, 83
 - special case, 199
- Finite
 - intersection property, 100, 105
 - labeled graph, 461
 - path, 15
 - sequence, 7
 - set, 7
 - tree, 14
- Finite-branching, 14, 89
- Finitely axiomatizable, 106
- First-order
 - languages without equality, 148
 - languages with equality, 230
 - logic, 1, 146
- For all, 147
- Formula, 1
 - first-order case, 149
 - many-sorted, 451
- Free
 - and Bound Variables, 153
 - structure, 368, 435
 - variable, 153
- Freely generated
 - by X , 480, 485
 - by X and F , 21
- From Resolution Refutations to $GCNF'$ -proofs, 137
- Function
 - $CONGRUENT$, 471
 - K , for formulae, 151
 - K , for terms, 150
 - symbols, 148, 449
- Functional, 5
 - form, 342
 - form of a sequent, 340
 - reflexivity axioms, 409
- Functionally complete set, 45

- G -congruence, 462
- Generalization rules, 220
- Gentzen, 60
 - cut elimination theorem for LK, 256
 - Hauptsatz for LK, 261
 - Hauptsatz for LK' , 113
 - Hauptsatz for LK_e , 268
 - sharpened Hauptsatz, 304, 320
 - system G for languages without equality, 187, 457
 - system G' , 63
 - system $G1^{nnf}$, 270
 - system $G2^{nnf}$, 327
 - system $G2_{=}^{nnf}$, 337
 - system $G_{=}$, 236
 - system LK, 257
 - system LK' , 110
 - system LK_e , 262
 - system $LK_{e,\perp}$, 293
 - system LK_{\perp} , 288
- Goal clause, 412, 428
- Gödel, 2

- Gödel (*continued*)
 extended completeness theorem for
 G, 216, 458
 extended completeness theorem for
 $G_=$, 242, 459
 incompleteness theorem, 300, 370
- Goldfarb, 366
- G-provable, 259
- G' -provable sequent, 111
- Graph, 5
- Greatest
 element, 8
 lower bound, 8
- Ground clause, 378
- Ground
 resolution, 377
 resolution method, 379
 substitution, 343
- Head, 13, 82
- Height, 15
- Henkin, 219
 theory, 225, 250
 method, 224
- Henkin-complete, 229, 253
- Herbrand
 disjunction, 344
 expansion, 368
 like theorem for resolution, 404
 structure, 435
 theorem, 303, 365
 theorem for prenex formulae, 344
 universe, 197, 436
- Hilbert, 370
 system, 79, 116, 219, 247, 255
- Hintikka set
 first-order language with equality,
 231
 first-order language without equality,
 195
 many-sorted case, 458
 propositional case, 90
 propositional unsigned case, 99
- Homomorphism, 23, 107, 478, 484
 of structures, 181
- Horn clause, 410, 411
 in PROLOG notation, 428
 formula, 59, 101, 186
- H-tree, 422, 446
- Ideal, 105
- Identity relation, 6
- I-indexed sequence, 7
- Image, 6
- Immediate
 descendants, 98, 226, 262, 284
 successor, 14
- Implication, 32, 147
- Implicit definability, 295
- Incomplete, 300
- Inconsistency in G' , 94
- Inconsistent, 94
- Indefinite answer, 438, 442
- Independent, 15, 59, 127
- Index set, 7
- Induction
 hypothesis, 9
 principle, 19
 step, 10
- Inductive
 closure, 19, 31
 definition, 17
 on, 19
- Inessential cut, 282
- Inference rule, 29
 of G, 187
 of G' , 63
 of $G1^{nnf}$, 270
 of $G1_{=}^{nnf}$, 281
 of $G2^{nnf}$, 327
 of $G2_{=}^{nnf}$, 337
 of $GCNF'$, 120
 of LK, 258
 of LK' , 110
- Logically equivalent, 48, 176
- Löwenheim-Skolem theorem
 for G, 217
 for $G_=$, 243
- Lower bound, 8
- Many-sorted
 algebra, 453
 first-order logic, 1, 448
L-structure, 453

- Σ -algebra, 483
- Matrix of a formula, 309
- Maximal, 8, 100
 - consistency, in $G_=_$, 244
 - consistent set, 96, 115, 224
 - consistent set, in G , 218
 - quantified subformulae, 326
- Maximally consistent, 96, 115
- Meaning, 1
 - of a formula, 160
 - of a term, 160
- Meta-language, 33
- Meta-variables, 33
- Midsequent, 320, 334, 337
- Minimal, 8
- Minimization, 372
- Model, 455
 - of A , first-order case, 162
 - of computation, 3
 - existence theorem for G , 218
 - existence theorem for G' , 94
 - existence theorem for $G_=_$, 243
 - of a set of formulae, 162
 - theory, 1, 29, 245, 255
 - Theoretic Semantics, 434
- Modus ponens, 79, 220
- Monadic predicate calculus, 182
- Monotonic, 24
- Most common instance, 382
- Most general unifier, 382
- Multiset, 25, 111, 259

- Natural
 - deduction system, 116, 255
 - numbers, 7
- Negation
 - by failure, 445
 - normal form, 74, 269
- Negative
 - clause, 412, 428
 - set of literals, 396
- Nelson and Oppen, 460
- NNF, 74
- Node, 14, 461
 - of a DAG, 127
- Nonatomic proposition, 68
- Nondeterministic, 51
- Nonlogical symbols, 148, 449
- Nonstandard model, 244, 245
- Nontrivial sequent, 120
- Nonvoid sort, 485
- Normal form, 3
 - lemma for $GCNF'$, 122
- Not, 32, 147
 - bound in the deduction tree, 274
- NP, 51
- NP-complete, 53
- NP-hard, 53
- Null
 - path, 15
 - string, 13

- Object language, 33
- Occur check, 387
- One to one, 6
- Onto, 6
- Open
 - equality axioms, 247
 - formula, 154
- Operations, 18
- Oppen and Nelson's congruence closure
 - algorithm, 471
- Or, 32, 147
- Outdegree, 14
- Output variables, 434

- P, 51
- Padoa's method, 297
- Paramodulant, 408
- Paramodulation, 377
 - method, 407
 - rule, 407
- Partial
 - function, 5
 - order, 8
 - recursive functions, 370, 373
- Partially
 - decidable, 373
 - ordered set, 8
- Partition, 7, 289
- Peano's arithmetic, 163, 244, 300
- Permutability lemma for LK, 314
- Polynomial-time reducibility, 53
- Polynomially reducible, 53
- Poset, 8

- Positive
 - formula, 181
 - set of literals, 396
- Possible definition
 - of f , 249
 - of P , 249
- Powers, 7
- Power-set, 478
- Precedence, 35
- Predecessor, 15
- Predicate symbols, 148, 449
- Prefix, 13
 - notation, 36
- Premise, 63
- Prenex
 - form, 305
 - formula, 305
- Preorder traversal, 384
- Preserved under
 - homomorphisms, 181
 - reduced products, 186
- Primitive
 - recursion, 371
 - recursive function, 365, 371, 372
- Principal
 - filter, 106
 - formula, 63, 111, 188, 259, 271, 457
- Procedure
 - expand*, first-order case, no equality, 209
 - expand*, language with equality, 240
 - expand*, propositional finite case, 69
 - expand*, propositional infinite case, 84
 - expand*, special case, 200
 - grow-left*, first-order case, no equality, 209
 - grow-left*, special case, 201
 - grow-right*, first-order case, no equality, 211
 - grow-right*, special case, 201
 - MERGE*, 471
 - search*, first-order case, no equality, 209
 - search*, language with equality, 241
 - search*, propositional finite case, 69
 - search*, propositional infinite case, 83
 - search*, special case, 199
 - test-and-substitute*, 385
 - unification*, 385
 - unify*, 386
- Program, 434
- Projections functions, 372
- PROLOG, 3, 410
- Proof, 2
 - in SLD-form, 413
 - theory, 2, 29
 - tree, for G , 188
 - tree, for G' , 66
 - tree, for $G1^{nf}$, 272
 - tree, for $GCNF'$, 120
 - tree, for LK, 259
 - tree, for LK' , 111
 - tree, many-sorted case, 458
 - without weakening, 414
- Proper, 13
 - filter, 100, 105, 183
- Property of finite character, 103, 228, 251
- Proposition symbols, 32
- Propositional
 - formulae, 32
 - logical rules, 270
- Propositions, 1, 32
- Provability, 1
- Provable
 - in G' , 66
 - infinite sequent, 85
- Pure-variable proof tree, 312
- Quantifier rules for subformulae, 327
- Quantifiers, 147, 449
- Query, 434
- Quotient, 7, 232
 - algebra, 482, 487
- Ramification, 14
- Range, 5
- Rank, 16, 148, 449, 483
 - function, 16, 148, 449
- Ranked alphabet, 16
- Rectified formula, 171, 456
- Recursive
 - function, 373
 - function theory, 369
- Recursively, 20
- Reduced, 59

- product, 101, 183, 184
- Reduct
 - of a language, 194
 - of a signed set, 194
 - of a structure, 194
- Reduction lemma
 - for $G1^{nnf}$, 277
 - lemma for $G1_{=}^{nnf}$, 282
- Reflexive, 7
 - and transitive closure, 8
- Reflexivity
 - axiom, 408
 - rule, 236
- Rejecting
 - computation, 52
 - state, 51
- Relational version, 248
 - of a language with equality, 247
- Resolution, 117
 - DAG, first-order case, 397
 - DAG, propositional case, 130
 - method, 3
 - method for first-order logic without equality, 395
 - method for propositional logic, 128
 - refutation, first-order case, 397
 - refutation, propositional case, 130
 - steps, 130, 397
- Resolvent
 - first-order case, 396
 - propositional case, 129
- Restriction, 12
- Result substitution
 - σ , 430
 - θ_i , 440
- Rewrite rule, 407
- Robinson, J. A., 117, 377
- Robinson's joint consistency theorem, 300
- Root, 14, 462
- Round, 70
 - counter, 239
- Rule
 - R_1 can be permuted with R_2 , 314
 - with contraction, 330
 - without contraction, 330
- SAT, 50
- Satisfaction, 455
 - for signed formulae, 193
- Satisfiability
 - functional form, 342
 - problem, 42
- Satisfiable, 42
 - formula, first-order case, 162
 - in \mathbf{M} , first-order case, 162
 - sequent, propositional case, 85
 - set of formulae, 162
 - set of propositions, 94
- Satisfies, 41
 - a signed set, 90
- Schwichtenberg, 273
- Scope, 15
- Searching for a counter example, 60
- Selected atom, 424, 429
- Semantic consequence
 - first-order case, 162
 - propositional case, 42
- Semantics, 1, 30
 - of formulae, 158
 - of logic programs, 437, 439
- Sentence, 154
- Separating pair of substitutions, 396
- Sequence, 7
- Sequent, 62
- Set
 - of predecessors, 462
 - of sorts, 449, 483
 - of states, 51
 - of types, 449, 483
- Sharpened Hauptsatz
 - for $G1^{nnf}$ and $G2^{nnf}$, 334
 - for $G1_{=}^{nnf}$ and $G2_{=}^{nnf}$, 337
- Side formula, 63, 111, 188, 259, 271, 327, 457
- Σ -algebra, 477
- σ -matrix of the functional form of A up to i , 346
- Σ -tree, 16
 - of sort s , 487
- Signature, 16
- Signed formula, 89, 192
 - of conjunctive type, 90
 - of disjunctive type, 90
 - of existential type, 193

- Signed formula (*continued*)
 - first-order language with equality, 231
 - of type a , 90
 - of type b , 90
 - of type c , 192
 - of type d , 192
 - of universal type, 193
- Signed set of formulae, 90
- Simple formula, 206
- Simply stratified alphabet, 16
- Singularly, 56
- Skolem
 - constant symbol, 340, 358
 - form, 358
 - function symbol, 340, 358
 - normal form, 342, 358
- Skolem-Herbrand-Gödel theorem, 303, 365
 - after Andrews, 364
- SLD-derivation, 423, 428
- SLD-refutation, 424, 429
- SLD-resolution, 410
 - method, 424
- Smorynski, 371
- Smullyan, 89, 95, 229
- Son, 14
- Sort, 448, 449, 483
- Sound, 2, 30
- Soundness
 - of the resolution method, proposition-al case, 131
 - of resolution without equality, 399
 - of SLD-resolution, 430
 - of the system G , 192
 - of the system G' , 67
 - of the system G , many-sorted case, 458
 - of the system $GCNF'$, 121
 - of the system $G1_{=}^{nf}$, 281
 - of the system $G2_{=}^{nf}$, 337
 - of the system $G2^{nf}$, 328
 - of the system $G_{=}$, 239
 - of the system LK , 260
 - of the system LK' , 112
- Source, 15
- S-ranked alphabet, 483
- Stacks of natural numbers, 484
- Strict order, 9
- String, 12
- Structural
 - induction, 9
 - rules, 110, 257
- Structure (first-order), 158
- Subalgebra, 479, 484
- Subformula, 171, 456
 - property, 262
- Substitution, 57
 - function, 285, 342
 - instance, 342
 - lemma, 276
 - pair, 343
 - in tautologies, 173
 - of a term, 155
- Substring, 13
- Substructure, 183
- Subsumes, 144, 406
- Subtree rooted at u , 15
- Succedent, 62
- Successor function, 372, 461
- Suffix, 13
- Support of the substitution, 285, 342
- Surjective, 6
- Symmetric, 7
- Syntax, 30
 - rules, 28
- Synthetic consistency property, 228, 252
- System $GCNF'$, 120
- Systematic deduction tree, 68, 199
- Tableaux system, 95, 116, 255
- Tail, 13, 82
- Tait, 273
- Target, 15
- Tarski, 1, 178
- TAUT, 50
- Tautology, 31, 42
 - problem, 42
- Term
 - algebra, 194
 - constructors, 194
 - first-order case, 148
 - free for x in A , 156
 - of sort s , 451
- Terminal node, 462
- Theory, 225, 249

- There exists, 147
- To the left, 15
- Total function, 5
 - order, 8
- Transitive, 7
 - closure, 8
- Translation, 247
 - conditions, 248
- Tree, 14
 - address, 14
 - domain, 13
 - replacement, 15
- Trivial sequent, 120
- Truth, 1
 - assignment, 39
 - function, 39, 45
 - functionally implies, 228, 252
 - functionally inconsistent, 228, 252
 - functionally valid, 228, 252
 - table, 39
 - table method, 44
 - value, 1, 39, 40
- T-translate, 247
- Turing machine, 51, 370
- Type, 448, 449, 483

- Ultrafilter, 101, 106, 184
- Ultraproduct, 101, 184, 185
- Uncountable, 7
- Underlying tree, 127
- Unification, 377
 - algorithm, 385
 - closure, 473, 474
 - closure problem, 473
- Unifier, 381
 - of S , 382

- Unique homomorphic extension, 23
 - theorem, 22, 480, 486
- Uniqueness condition for f , 248
- Universal
 - algebra, 488
 - closure, 180, 285
 - equation, 285
 - scope of a formula, 357
- Unsatisfiable, 42
- Upper bound, 8
- Upward closed, 104

- Valid
 - proposition, 42
 - formula, first-order case, 162
 - in \mathbf{M} , first-order case, 162
 - propositional finite sequent, 64
 - sequent, first-order case, 188
 - sequent, propositional case, 85
 - set of formulae, 162
- Validity, 455
 - functional form, 342
- Valuation, 39
- Variables, 148, 449

- Weakening, 110, 258
 - formula, 110
 - lemma, 276
- Well-founded, 9
- Witness, 224

- Zero function, 372
- Zorn's lemma, 9, 100, 227, 251