



Polymorphism






Signatures

- In any programming language, a **signature** is what distinguishes one function or method from another
- In C, every function has to have a different name
- In Java, two methods have to differ in their *names* or in the *number* or *types* of their parameters
 - `foo(int i)` and `foo(int i, int j)` are different
 - `foo(int i)` and `foo(int k)` are the same
 - `foo(int i, double d)` and `foo(double d, int i)` are different
- In C++, the signature also includes the *return type*
 - But not in Java!



Polymorphism


- Polymorphism means *many* (poly) *shapes* (morph)
- In Java, **polymorphism** refers to the fact that you can have multiple methods with the same name in the same class
- There are two kinds of polymorphism:
 - **Overloading**
 - Two or more methods with different signatures
 - **Overriding**
 - Replacing an inherited method with another having the same signature



Overloading

```
class Test {  
    public static void main(String args[]) {  
        myPrint(5);  
        myPrint(5.0);  
    }  
  
    static void myPrint(int i) {  
        System.out.println("int i = " + i);  
    }  
  
    static void myPrint(double d) { // same name, different parameters  
        System.out.println("double d = " + d);  
    }  
}
```

```
int i = 5  
double d = 5.0
```



Why overload a method?

- So you can use the same names for methods that do essentially the same thing
 - Example: `println(int)`, `println(double)`, `println(boolean)`, `println(String)`, etc.
- So you can supply defaults for the parameters:

```
int increment(int amount) {  
    count = count + amount;  
    return count;  
}
```


```
int increment() {  
    return increment(1);  
}
```

- Notice that one method can call another of the same name

- So you can supply additional information:

```
void printResults() {  
    System.out.println("total = " + total + ", average = " + average);  
}
```

```
void printResult(String message) {  
    System.out.println(message + ": ");  
    printResults();  
}
```




DRY (Don't Repeat Yourself)

- When you overload a method with another, very similar method, only one of them should do most of the work:


```
void debug() {  
    System.out.println("first = " + first + ", last = " + last);  
    for (int i = first; i <= last; i++) {  
        System.out.print(dictionary[i] + " ");  
    }  
    System.out.println();  
}
```

```
void debug(String s) {  
    System.out.println("At checkpoint " + s + ":");  
    debug();  
}
```



Another reason to overload methods


- You may want to do “the same thing” with different kinds of data:
 - ```
class Student extends Person {
 ...
 void printInformation() {
 printPersonalInformation();
 printGrades();
 }
}
```
  - ```
class Professor extends Person() {  
    ...  
    void printInformation() {  
        printPersonalInformation();  
        printResearchInterests();  
    }  
}
```
- Java’s `print` and `println` methods are heavily overloaded



Legal assignments

```
class Test {  
    public static void main(String args[]) {  
        double d;  
        int i;  
        d = 5;           // legal  
        i = 3.5;        // illegal  
        i = (int) 3.5;  // legal  
    }  
}
```

- **Widening** is legal
- **Narrowing** is illegal (unless you **cast**)




Legal method calls

```
class Test {  
    public static void main(String args[]) {  
        myPrint(5);  
    }  
  
    static void myPrint(double d) {  
        System.out.println(d);  
    }  
}
```

5.0

- Legal because parameter transmission is equivalent to assignment
- `myPrint(5)` is like `double d = 5; System.out.println(d);`




Illegal method calls

```
class Test {  
    public static void main(String args[]) {  
        myPrint(5.0);  
    }  
  
    static void myPrint(int i) {  
        System.out.println(i);  
    }  
}
```

myPrint(int) in Test cannot be applied to (double)

- Illegal because parameter transmission is equivalent to assignment
- myPrint(5.0) is like `int i = 5.0; System.out.println(i);`




Java uses the most specific method

- ```
class Test {
 public static void main(String args[]) {
 myPrint(5);
 myPrint(5.0);
 }

 static void myPrint(double d) {
 System.out.println("double: " + d);
 }

 static void myPrint(int i) {
 System.out.println("int: " + i);
 }
}
```
- ```
int:5  
double: 5.0
```




Multiple constructors I

- You can “overload” constructors as well as methods:


- ```
Counter() {
 count = 0;
}
```

```
Counter(int start) {
 count = start;
}
```




# Multiple constructors II

- One constructor can “call” another constructor in the same class, but there are special rules
  - You call the other constructor with the keyword **this**
  - The call must be the *very first thing* the constructor does
  - `Point(int x, int y) {`
    - `this.x = x;`
    - `this.y = y;`
    - `sum = x + y;``}`
  - `Point() {`
    - `this(0, 0);``}`
  - A common reason for overloading constructors is (as above) to provide default values for missing parameters




# Superclass construction I

- The very first thing any constructor does, automatically, is call the *default* constructor for its superclass
  - `class Foo extends Bar {`
    - `Foo() { // constructor`
    - `super(); // invisible call to superclass constructor`
    - `...}`
- You can replace this with a call to a *specific* superclass constructor
  - Use the keyword `super`
  - This must be the *very first thing* the constructor does
  - `class Foo extends Bar {`
    - `Foo(String name) { // constructor`
    - `super(name, 5); // explicit call to superclass constructor`
    - `...}`



# Superclass construction II

- Unless you specify otherwise, every constructor calls the *default* constructor for its superclass
  - `class Foo extends Bar {`  
    `Foo() { // constructor`  
        `super(); // invisible call to superclass constructor`  
    `...`
- You can use `this(...)` to call another constructor in the same class:
  - `class Foo extends Bar {`  
    `Foo(String message) { // constructor`  
        `this(message, 0, 0); // your explicit call to another constructor`  
    `...`
- You can use `super(...)` to call a specific *superclass* constructor
  - `class Foo extends Bar {`  
    `Foo(String name) { // constructor`  
        `super(name, 5); // your explicit call to some superclass constructor`  
    `...`
- Since the call to another constructor must be the *very first thing you do* in the constructor, you can only do *one* of the above



# Shadowing


---

```
class Animal {
 String name = "Animal";
 public static void main(String args[]) {
 Animal animal = new Animal();
 Dog dog = new Dog();
 System.out.println(animal.name + " " + dog.name);
 }
}

public class Dog extends Animal {
 String name = "Dog";
}
```

Animal Dog


- This is called **shadowing**—**name** in class **Dog** shadows **name** in class **Animal**



# An aside: Namespaces

---

- In Python, if you named a variable `list`, you could no longer use the `list()` method
- This sort of problem is very rare in Java
- Java figures out what kind of thing a name refers to, and puts it in one of seven different namespaces:
  - package names
  - type names
  - field names
  - method names
  - local variable names (including parameters)
  - Labels
  - enums
- This is a separate issue from overloading, overriding, or shadowing




# Overriding

```
class Animal {
 public static void main(String args[]) {
 Animal animal = new Animal();
 Dog dog = new Dog();
 animal.print();
 dog.print();
 }
 void print() {
 System.out.println("Superclass Animal");
 }
}

public class Dog extends Animal {
 void print() {
 System.out.println("Subclass Dog");
 }
}
```

Superclass Animal  
Subclass Dog


- This is called **overriding** a method
- Method **print** in **Dog** overrides method **print** in **Animal**
- A subclass variable can *shadow* a superclass variable, but a subclass method can *override* a superclass method



# How to override a method

---

- Create a method in a subclass having the same *signature* as a method in a superclass
- That is, create a method in a subclass having the same name and the same number and types of parameters
  - Parameter *names* don't matter, just their *types*
- Restrictions:
  - The return type must be the same
  - The overriding method cannot be *more private* than the method it overrides




# Why override a method?

- `Dog dog = new Dog();`  
`System.out.println(dog);`
  - Prints something like `Dog@feda4c00`
  - The `println` method calls the `toString` method, which is defined in Java's top-level `Object` class
    - Hence, every object *can* be printed (though it might not look pretty)
    - Java's method `public String toString()` can be overridden
- If you add to class `Dog` the following:


```
public String toString() {
 return name;
}
```

Then `System.out.println(dog);` will print the dog's **name**, which may be something like: **Fido**



# More about toString()


- It is almost always a good idea to override `public String toString()` to return something “meaningful” about the object
  - When debugging, it helps to be able to print objects
  - When you print objects with `System.out.print` or `System.out.println`, they automatically call the objects `toString()` method
  - When you concatenate an object with a string, the object’s `toString()` method is automatically called
  - You can explicitly call an object’s `toString()` method
    - This is sometimes helpful in writing unit tests; however...
    - Since `toString()` is used for printing, it’s something you want to be able to change easily (without breaking your test methods)
    - It’s usually better to write a separate method, similar to `toString()`, to use in your JUnit tests



# Equality


---

- Consider these two assignments:  
    Thing thing1 = new Thing();  
    Thing thing2 = new Thing();
- Are these two “Things” equal?
  - That’s up to the programmer!
- But consider:  
    Thing thing3 = new Thing();  
    Thing thing4 = thing3;
- Are these two “Things” equal?
  - Yes, because they are the *same* Thing!




# The equals method

- Primitives can always be tested for equality with `==`
- For objects, `==` tests whether the two are the *same* object
  - Two strings "abc" and "abc" *may or may not be* `==` !
- Objects can be tested with the method  
`public boolean equals(Object o)`  
in `java.lang`.
  - Unless overridden, this method just uses `==`
  - It is overridden in the class `String`
  - It is *not* overridden for arrays; `==` tests if its operands are the *same* array
- Morals:
  - Never use `==` to test *equality* of Strings or arrays or other objects
  - Use `equals` for `Strings`, `java.util.Arrays.equals(a1, a2)` for arrays
  - If you test your own objects for equality, override `equals`



# Calling an overridden method

- When your class overrides an inherited method, it basically “hides” the inherited method
- Within this class (but not from a different class), you can still call the overridden method, by prefixing the call with **super**.
  - Example: `super.printEverything();`
- You would most likely do this in order to observe the DRY principle
  - The superclass method will do most of the work, but you add to it or adjust its results
  - This isn't a call to a constructor, and can occur anywhere in your class (it doesn't have to be first)



# Summary

---

- You should *overload* a method when you want to do essentially the same thing, but with different parameters
- You should *override* an inherited method if you want to do something slightly different than in the superclass
  - It's almost always a good idea to override `public void toString()` -- it's handy for debugging, and for many other reasons
  - To test your own objects for equality, override `public void equals(Object o)`
  - There are special methods (in `java.util.Arrays`) that you can use for testing array equality
- You should never intentionally *shadow* a variable



# The End

“Java is focused on being a powerful but simple language, easy to read, with a consistent clear meaning. It is more important that Java programs be easy to read than to write.”

--Graham Hamilton